

AIRWAYS





RCA using REASON

A building block for accident/incident investigations




Contents

- Defense in depth strategy
- Basic Elements
- Building Steps for RCA
- Engineering fixes vs.Organizational fixes
- Root Causes Divisions



- Application of RCA using REASON
- Interpretation of the case
- Interpretation of the summary sheet
- Tendency TowardProcess
- Conclusions

Defense in Depth strategy (James Reason)



Basic Elements

 A change: An action that triggered another step in the problem.

A/C 123, Flt 456's left wing collided with a parked fuel truck.



Basic Element

A condition: A state of being that existed within the environment over some period of time.

The Pilot's scan was poor




Basic Element

An Inaction: Anything that could have or should have occurred to prevent the next step in the problem, but did not.

The Pilot In
Command did
not stop the
aircraft, when
confusing signals
were received






BUILDING STEPS FOR RCA

Last chain prior to the event chain is on top

Bigger problem starts at the bottom





Upstream Analysis

Critical steps take
 predominant weight on
 top of the model,
 because they provide
 the last opportunity to
 avoid a mishap or an
 accident.





Downstream Analysis

Bigger problem (root) cause) length of chain of events indicate opportunities to break the chain from unfolding were either ignored or unknown (akin to latent effects).





Engineering fixes versus organizational fixes

- Engineering fixes are often permanent and can be costly
- They may not be practical
- They can introduce new threats
- They may be disproportionate to the risk itself



Example

Boeing 737-400 - G-OBME near Kegworth,
 Leicestershire on 8 January 1989.

Airbus A-320, F-GGED: Accident occurred

January 20, 1992 by the Mt. St. Odile

(Lower Rhine).





Root Causes division

- Management Level Action Required
- Management:
 - ...Did not ESTABLISH a policy...
 - ...Did not DESIGNATE that this policy apply to this...
 - ...Did not COMMUNICATE..
 - ... Did not Establish a means to MONITOR compliance
 - ...Did not COMMUNICATE how they were MONITORING...
 - Did not ENFORCE the policy when infraction was found.

Supervision Level

- Supervision did not:
 - COMMUNICATE what was wanted
 - PROVIDE the things necessary to comply
 - FOLLOW the policy in the past
 - ENFORCE the policy in the past



Individual Action Level

- The individual's:
 - Incorrect action is acceptable and the policy can be changed.
 - Incorrect behavior can be MODIFIED.
 - Incorrect behavior cannot be changed, and he must be REMOVED from that particular environment.



NOTE

"Selecting an individual Root Cause is a serious and rare decision. Using the RC wizard will help to avoid missing the systemic portion of a Root Cause where the individual(s) share responsibility."



Application of RCA using REASON's

Problem Statement:

Aircraft 123 arrived at destination as flt 456 from Philadelphia on 06/14 with 59 customers. Gate assigned was C-3. As the airplane moved towards the gate it struck a fuel truck.









Facilitation/Logic Test

Highlights focus area to investigate


Facilitates reasoning, by asking relevant questions







Level: Full Investigation (REASON Pro)


Selecting any of the criteria listed will trigger a full investigation






Level: Express Investigation (REASON Express)





Level: Front Line Investigations



Interpretation


- The CSO has an opportunity to establish a policy to advise fuel company on SZL. [Best option-22%]
- The Fuel vendor has an opportunity to establish a policy to park vehicles in designated spots. [2nd best-22%]
- The CSO has an opportunity to monitor staffing level, and insure they comply with business processes.[3rd best-15%]
- The Ramp Supervision can enforce hand signals. [4th best-14%]
- The CSO can monitor marshalling policy. [5th best-13%]
- The PIC has an opportunity to stop (if unclear signals are received.
 [6th best-12%]
- Fuel vendor can enforce parking in designated areas. [7th best-9%]
- Management can establish policy to repaint lines periodically. [8th best-7%]



22% of the model is eliminated by advising fuel vendor on Safety Zone Lines

Interpretation

Parking vehicles in designated areas eliminates 22% as well (2nd best choice).



The pilot (last line of defense) is only the 6th best choice, by then several barriers have failed

Interpretation of the summary sheet

22,4190

REASON® Summary Sheet

The Model is: Closed

Quantification Reliability: 100.0%

Total Relative Causal Stress: 29.36904

Total Proper Causal Stress: 79

Causal Stress TTP: 3.7176

Total Relative Generating

Causality:

Total Proper Generating Causality: 64

Generating Causality TTP: 3.5030

Raw value of # Changes, Inactions and Conditions.

Same as above but weighted according to the level where it is

Raw value of # Changes, and Inactions.



Interpretation

- The model is reliable: 100%
- The raw number of changes inactions and conditions is :79
- The weighted number is 29, which means things happen close to the accident
- The TTP tendency toward process indicates how quickly the event is likely to re-occur.

Relative vs Proper

- More weight is attributed to the top of the model.
- Proper means an equal number regardless of the level at which the events occur.



Causal vs Generating

- Causal is the number weighted changes, inactions and conditions.
- Generating is the number of weighted changes and inactions.



Conclusion

- The Root Cause approach offers an additional facet to accident investigations.
- It offers a systemic approach in particular focuses on the organizational latent effects.
- It affords a framework for RCA investigations.
- If may pre-empt "removing the cause" and the problem ceases to exist.